



1.5cbm Bucket Capacity Telescopic Dipper For Cat Hitachi Komatsu Excavator House Foundation Digging

Our Product Introduction

for more products please visit us on excavatorlongarm.com

Basic Information

- Place of Origin: China
- Brand Name: Zhonghe Machinery
- Certification: Patents
- Model Number: SSB010
- Minimum Order Quantity: 1 piece / set
- Price: USD 199.00-USD7999.00
- Packaging Details: Bubble / wooden cases
- Delivery Time: 7 days-20 days
- Payment Terms: T/T, L/C, or others as you request
- Supply Ability: 7 sets per week



Product Specification

- Maximum Reach: 16m 18m 20m
- Bucket Capacity: 0.4cbm, 0.6cbm, 1.5cbm, 2.2cbm, 2.5cbm
- Welding: Premium
- Condition: New
- Model: SSB089
- Warranty: 6 Months
- Number Of Sections: 3 Sections
- Type: Excavator Attachment
- Highlight: Cat Hitachi Komatsu Telescopic Dipper, House Foundation Digging Telescopic Dipper, 1.5cbm Telescopic Dipper




More Images



Telescopic excavator boom telescopic excavator digging deeper long reach 20m 30m 32m

Introduction of telescopic excavator boom:

The telescopic arm of an excavator is an invaluable asset in construction work, designed to enhance efficiency and versatility. Constructed from BS900E material, this arm is known for being both lightweight and exceptionally strong, allowing for improved maneuverability without compromising durability. Its innovative design maximizes performance, ensuring that tasks such as reaching, lifting, and digging are executed with high effectiveness. The telescopic dipper's configuration not only extends the reach of the excavator but also optimizes its ability to operate in confined spaces, making it ideal for a wide range of construction activities.



16M- Telescopic Boom	
A. Maximum vertical digging depth	16000mm
B. Maximum vertical depth digging radius	7095mm
C. Maximum vertical excavation working radius	8801mm
D. Maximum vertical digging depth	13340mm
E. Maximum vertical excavation working radius	13586mm
F. Maximum unloading height	8044mm
G. Minimum turning radius	6150mm
H. The minimum turning radius is the height of the whole machine	8087mm







Any interest, welcome to contact~



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd



+86 13822325403



aria@excavatorboomarm.com



excavatorlongarm.com

9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China