ō,

# Our Product Introduction

# High Quality Hydraulic Telescoping Excavator Boom High Reach Demolition Boom for Cat320 PC200 Construction Machinery Parts

## Basic Information

Place of Origin: Guangdong, China
Brand Name: Zhonghe
Certification: CE
Model Number: SSB001
Minimum Order Quantity: 1 piece
Price: \$6800/pieces
Packaging Details: Bubble bag packaging
Delivery Time: 20-30 work day

• Payment Terms: T/T

Supply Ability: 50 Piece/Pieces per Month



# Product Specification

Product Name: Excavator Two-Section Telescopic Boom

• Quality: High-Quality Moving Type: Crawler Excavator Q690D Material: Warranty: 1 Year Condition: New • Color: Customize • MOQ: 1 PCS • OEM: Support

Packing: Bubble Bag Packaging
 After-sales Service Provided: Video Technical Support

 Highlight: Hydraulic telescoping excavator boom, High reach demolition boom for Cat320, PC200 excavator telescopic boom



## More Images











# **Product Description**

PRODUCT DESCRIPTION





# What is an excavator telescopic arm

This product mainly consists of <u>a fixed body</u>, <u>sliding body</u>, <u>steel wire rope and a telescopic cylinder</u> By changing the number of sliding bodies, an ideal working radius and vertical excavation range can be achieved. Generally used in combination with a bucket, it can complete deep pit excavation tasks, such as <u>grabbing soil</u>, <u>sand or coal</u>





# Advanatges of two-section arm

# Advantages of telescopic arm



01

Using LG700/785 material, the overall plate strength is stronger and the arm is lighter, reducing the load of the excavator.



02

The unique design of the internally designed long cylinder makes the ultration of the cylinder a thing of the past. We add a slider inside the cylinder to prevent the cylinder from shaking when it expands and contracts. This not only reduces the failure rate of the cylinder, but also reduces the vibration of the pipeline.



03

For telescopic iron pipes, we adopt a double-layer iron pipe design to reduce pipeline oil leakage caused by pipeline vibration and reduce the failure



04


The bucket cylinder is placed outside the arm, and the cylinder and connecting rod assembly are replaced as a whole. Our maintenance is more convenient, and the bucket retraction angle for excavation is better.



# **Excavator Telescopic Boom**







Two Section Telescopic Arm Configuration

- 1. A set of telescopic arm
- 2 Eight high-pressure hoses
- 3. Nine pins
- 4. A standard bucket
- 5. A two-way foot switch
- 6. A bucket cylinder
- 7. A set Linkage

Excavator (ton)	Maximum Digging Depth(mm)	Effective Length (mm)	Bucket Capacity(cbm)		Counterweight (ton)
12-15	10000	8170	0.25-0.35	6	-
20-25	12000	8700	0.4-0.45	20	-
20-25	14000	10680	0.3-0.45	20	1-2T
30-35	16000	12080	0.6-0.8	30	-

# Company Profile





# ZHONGHE triple quality control system

The first system is the technical design drawing review mechanism,

The second system is the semi-finished product review mechanism,

(each process has a detection testing for the previous process)

The third system is the finished product testing.

(Before painting, the overall inspection is carried out to check whether the design size matches the welding size, and whether the installation size meets the design requirement.)

To sum up, every single ZHONGHE product has been passed the above three-stage inspection system to ensure that is qualified before shipping.

The equipments we have:



Large double-sided floor boring machine

CNC plasma cutting machine





Automatic edge milling machine

Environmentally friendly spray booth

Production Process










# Certificates





## Postive Feedback











## **Shipping And Packaging**

Our products have been sold to more than 60 countries, and our transportation methods include sea transportation, land transportation, and air transportation. Our packaging is wooden box packaging or stretch film packaging. The goods will be packed before shipment and then loaded into the container to ensure the safety of the goods.

## Q: Are you a manufacti

A: Zhonghe machinery offered a wide range of attachment parts for excavators and dozers. Such as long reach arm, demolition arm, telescopic arm, standard bucket, rock bucket, cleaning bucket, tilting bucket, etc. We know that the perfect combination of high-quality cast steel products and a moderate price is the key to the success. Q: Why choose Zhonghe over any other companies?

A: We have a professional production team and design team to provide each customer with high-quality and personalized customer service to ensure correctness, so we have good reputation in China, and our annual sales are among the best in

A: 1. The product is made of Q355B steel, a superior and sturdy material on the market, and the steel is cut with a 45-degree slope and then gas welded, making it more sturdy and 30% longer lifetime than normal materials. 2. All accessories are included, no additional purchases are required. Professional online video guides installation to make installation worry-free. 3. Lifetime free online customer service consultation if you have any questions. Q: How do I start to order?

A: Firstly, talk to our sales about your machine model, working conditions, special needs and deadline. Then our sales will give you proposals FYR. You will receive a quotation ASAP after confirming the proposal.

A: We prefer T/T (50/50) through Ali Credit Insurance as a trial order.

Q: Are you always delivered on time?

A: We can't promise about the sea freight but what we can do is shorten our lead time while keeping the same quality level. So there will not be any problem even if the sea freight is delayed for a couple of days.

Contact Information	
Name:	Iris
Tel:	+8615362217237
WhatsApp:	+8615362217237
Mail:	whq@excavatorboomarm.com



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd







9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China