

# Two Section Telescopic Excavator Arm 10m Clamshell Telescopic Arm

## **Basic Information**

Place of Origin: Guangdong Province, China

Brand Name: Kaiping Zhonghe Machinery Manufacturing

Co. Ltd

Certification: CE, Patent, ISO

Model Number: SSB005Minimum Order Quantity: 1 set / piece

Price: USD 199.00-USD9999.00Packaging Details: Bubble / wooden cases

Delivery Time: 5-20/worksPayment Terms: T/T, L/C

Supply Ability: 5 sets per week



# **Product Specification**

• OEM / ODM: YES

• Cylinders: Premium Cylinders

• Warranty: 6 Months

Suitable Excavators: Hitachi Komatsu Sany Zoomlion Cat Etc

High Efficiency: YESMaterial: LG700

Apply To: Digging Caissons, House Foundation Pits,

Deep Pits

• Hydraulic Type: YES

Highlight: 10m telescopic excavator arm,

two section excavator arm, clamshell telescopic excavator arm



# More Images







## **Product Description**

Introducing our precision-engineered two-section telescopic arm component, designed to enhance the functionality and versatility of your excavator. This essential part is crafted for heavy-duty applications, providing exceptional reach and adaptability for various excavation tasks.

#### **Design of One Set of Excavator Telescopic:**

- \* Control of Hydraulic Cylinder
- \* Two section steel tubes
- \* Big hose spring to collect the internal hoses



#### Key Features of One Set of Telescopic Arm for Excavator:

Dual-Section Design: The two-section configuration allows for extended reach and flexibility, making it ideal for deep excavation and complex projects.

Robust Material Construction: Made from high-strength steel (LG700), this component ensures durability and resistance to wear, even in demanding environments.

Precision Engineering: Each component is manufactured with high tolerance levels, ensuring smooth operation and reliability during use.

Easy Installation: Designed for straightforward integration with existing excavator setups, allowing for quick upgrades and minimal downtime.

Compatibility: Suitable for a wide range of excavator models, enhancing versatility across different machinery.





The front end is designed to be curved, greater digging force

Bearing part with multi-layer reinforced





The pivot end is reinforced with multiple layers to withstand greater excavation forces

The exposed bucket cylinder can be replaced without disassembling arm, which is convenient for maintenance





The reel adopts enlarged spring piece

#### Specifications of One Set of Arm for Excavator Telescopic Dipper :

Length: Custom lengths available to meet specific project requirements.

Weight: Lightweight design for improved handling without compromising strength. Finish: Corrosion-resistant coating to protect against harsh environmental conditions.

Excavator	Bucket	Bucket Cylinder	Digging
Model(ton)	Capacity(cbm)	Туре	Depth(m)
6T	0.2	6T	6
10-12T	0.2	6T	10
20-27T	0.4	20T	12
30-36T	1	30T	12
20-27T	0.4-0.6	20T	14
24-27T	0.8	30T	14
30-36T	1	35T	14
30-36T	0.8	30T	14
30-36T	1	35T	15
24-28T	0.8	30T	15
24-28T	0.4	20T	16
30-36T	0.8	22T	16
45-50T	1.2	35T	16

### Benefits of One Set of Excavator Telescopic Arm 14m:

Increased Efficiency: The two-section telescopic design allows for greater maneuverability and improved access to hard-to-reach areas, reducing cycle times and enhancing productivity.

Versatile Applications: Perfect for construction, landscaping, providing the necessary reach for various tasks.

Enhanced Performance: Excavator telescopic arm works seamlessly with other attachments, ensuring optimal performance and reliability during operations.





# Why Choose Our Two-Section Telescopic Arm Component?

Our commitment to quality and innovation ensures that you receive a reliable product that meets the demands of modern excavation projects. Upgrade your equipment with our two-section telescopic arm component and experience the difference in performance and efficiency.





Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd



+86 13822325403



aria@excavatorlongarm.com



excavatorlongarm.com