

ODM OEM Factory Excavator Spare Parts Rock Bucket Type Thumb Clamp Excavator

Basic Information

• Place of Origin: Guangdong, China

Brand Name: Zhonghe
Certification: CE
Minimum Order Quantity: 1 piece
Price: \$800/pieces
Packaging Details: wood case
Delivery Time: 5-10 work day

• Payment Terms: T/T

• Supply Ability: 50 Piece/Pieces per Month



Product Specification

• Brand Name: ZHONGHE

Application: Excavator AttachmentType: Excavator Thumb Bucket

Material: Q355B

• Color: Customer Required

• Warranty: 3 Months

Weight: Customer Required

MOQ: 1 PCSCondition: 100%newOem: Support

After-sales Service

Provided:

• Packing: Wooden Box

Highlight: excavator rock bucket thumb clamp,
 OEM excavator spare parts,

excavator thumb clamp attachment

Video Technical Support



More Images











Product Description

PRODUCT DESCRIPTION



Main Purpose

This product is primarily used for grabbing and excavating, with the addition of a gripping function based on the excavator bucket. It is commonly used for grabbing stones, wood, iron, and garbage.

Material Selection:

Q355B material is used for processing and production of all components.





Excavator Thumb Bucket

- *Excavator thumb bucket, adding a cover plate on the standard bucket, solves the problem like falling stones and materials holding by a standard bucket, which not only reduce the work efficiency, but also endangers workers' safety.
- * Q355B, NM400, Hardox500 optional
- * Three reinforced ribs are built into the back plate to increase tensile strength and prolong its service life

| Model | Pin Diameter (mm) | Bucket Width (mm) | Opening Size (mm) | Weigh (kgs) |
|--------|-------------------|-------------------|-------------------|-------------|
| <2T | <35 | 270 | 670 | 90 |
| 3-4T | 40 | 305 | 750 | 169 |
| 5-6T | 45 | 458 | 1200 | 297 |
| 6-9T | 55 | 600 | 1365 | 475 |
| 10-18T | 60/35/70 | 600 | 1680 | 678 |
| 19-26T | 80 | 800 | 1990 | 1150 |
| 27-35T | 90/100/110 | 1100 | 2500 | 2100 |





Various buckets



Skeleton Bucket

Click for more buckets details!

COMPANY ADVANTAGES







14000 Workshop

R&D Team

Skillful Workers

We has more than 14000 We use precision drawing There are more than 60 skillful steel structure workshop with software to achieve the max staffs, 30 welding workers with lots of high precision working range under the over 5 years welding experience. processing equipments. premise of safe operation.







Customized Prompt Lead Time

100% Service

- 1. Fit all brand. 1. Our lead time is 7-15 days. 1. Online support within 24 hours.
- 2. Color, length, material are customized. 2. Our annual output of excavator 2. Appointment video technica8. Extra pipeline can be added. boom arms can reach 600 sets. support.

PRODUCTION ADVANTAGES



ZHONGHE triple quality control system

The first system is the technical design drawing review mechanism,

The second system is the semi-finished product review mechanism,

(each process has a detection testing for the previous process)

The third system is the finished product testing.

(Before painting, the overall inspection is carried out to check whether the design size matches the welding size, and whether the installation size meets the design requirement.)

To sum up, every single ZHONGHE product has been passed the above three-stage inspection system to ensure that is qualified before shipping.





Large double-sided boring machine CNC plasma cutting machine





Automatic edge milling machine

Environmentally friendly spray booth

CERTIFICATE



CE certification & Utility model patent certificates







Steel plates certifications

| 4241 500:45 4:4 8:4 | | - | | diction+makents | | | | | | | | | | | FARA | | | | AGGRAGERS | | | | | | | | |
|------------------------------|-------|--|--|-----------------|-----|-------|------|----------|--------|----|-----|-----|--------|-----------|--------|----------|-----|------|-----------|------------|-------|---------|---------|--------|-----|-------|--------|
| | _ | | | | | | | | | | | Ť. | 2.3 | | | | | | Τ. | 2525 | | | | | | | |
| | | | Andrews of the Common C | | | | | | | | | + | 871947 | | | | | | | | 1.8% | | | | | | |
| | _ | PLANEY | | | | | | | | | | | | | | P | | 100 | | militaria. | | | | | | | |
| | | | MICHIGAN DE INCOM | | | | | | | | | | 4 | udi | (F 6) | ٠. | | | | - | | | | | | | |
| 3.53 | inon. | MACH MACH | | | | _ | | | | | | | | | | 1 | | 12.7 | ٠. | _ | | | 1 | 20.23 | ы | 944 | - |
| | 1 | 10 | | | Т | -31 | | m | | | 200 | 2 | | П | 750 | | 977 | N/ | | 50 | 100 | or no | L | 25.05 | 4 | _ | 41- |
| : | - 3 | | | | 125 | (4) | æ | 43 | Ŧ¢. | 採 | 採 | Ŗ. | | L. | THE | | 圧 | Ε | Ы | | | **11 | ы | M | = | | |
| 606 | Legal | nast | | | (8) | 树 | 烊 | Ħ | Ħ | 芦 | ⊨ | Ħ | | | | - | | | | 227 | | TT SE | ďΦ | | | -11 | 7776 |
| NAME OF | | | | 100 | 愽 | 닭남 | Ħ | र्गम | 1 | Ŧ | t= | u | | | | | W | т | 忖 | NÇ10 | | te (iii | ПŤ | 44 | ~ | + | ++ |
| - | | | | | | #14 | | | + | * | - | 10 | | | | | | | | | | | | ш | - 1 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | - 1 | | 11 |
| | | | | *** | | | | | | | | | | | | | | | | | | | | | - 1 | | 11 |
| | | | | 700 | | | | | | | | | | | | | | | | | | | | | - 1 | | 11 |
| | | | | | | | 11" | | | 10 | | | | | | | | | | | | | | - 11 | - 1 | | 11 |
| | | | | | | | | | | | | | | | | | | | | | | | | - 11 | - 1 | | 11 |
| 100.00 | | | | | | | | | ш | 1 | IΞ | ш | | | | - | II. | | | | | | | - 11 | - 1 | | 11. |
| - | | - | | - | | | | - | | | - | 100 | - | 1 | - | - | 18 | Ш | ы | - | | 14 4 | ш | ш | - 1 | | |
| 40. 3 | _ | - | 닢 | H | | | - | + | - | - | - | ٠. | Н | 4 | b | <u> </u> | ÷ | 낲 | 브 | ÷ | ÷ | | 44 | otek | - | estes | \sim |
| 4 4 | _ | - | -21 | - | | - | | | - | - | - | - | - | -0 | - | - | - | | - | | - | - | | 2233 | - | - | _ |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| = # | | 11892.55 | - | 100 | 1.0 | 1 | 27 | ere: | 亖 | = | - | | | _ | _ | _ | _ | -1 | MF. | ** | | 1770 | 14.6 | 77.7.4 | | - | |
| | | COLUMN TOWNS | Ξ. | -74 | - | 199 | - | 7.50 | Argen. | | - | | | | | | | | = | 72 | #0. 1 | 10.40 | | | | | |
| ноча | | 777 5-00 | =;; | = | | yh Kr | 100 | for stry | nen i | | | | 900 | LABO | br tur | 1100 | 55 | *** | Ţ, | - | 33 | -771 | - | | | | |
| | | | | | | | 48.) | ** | | | | | | TOKE SHIP | | | | | | | | | | | | | |
| | | 000 1000 1000 1000 1000 1000 1000 1000 | \$ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | ψ | 1 | 1 | | | 1 | | 1 | | 1 | | | | | | | | | | Company | | | | |



PRODUCT ADVANTAGES








Robust base plate. Professional welding skill towards different bearing position. Steel plate chamfering bevels before welding.



Less maintaince

Using high quality materials, Q355B, NM400, hardox500 optional, strong bushing.



As your request

The bucket's width and opening angle can be customized.




High effective

1.Separated plates design, load &unload easily. 2. Horizontal widening and depth reducing improve its work efficiency

CUSTOMER FEEDBACK





Wooden case for little products, like buckets
Iron frame support for boom arms.

The accessaries and package of excavator long boom arm are subjected to our final confirmation.



1. How do I start to order?

Firstly, talk to our sales about your machine model, working conditions, special needs and deadline. Then we will give you proposals FYR. You will receive a quotation within 24 Hours after confirming the proposal.

2. Why not have boom and stick cylinders in the plan?

A1: First, the whole long arm is lengthening, but the boom just lengthening from its middel sleeve to its end, so the original boom and stick cylinder can be used. Second, using the original parts can save your cost.

3. Are you alaways delivered on time?

We can't promise about the freight but what we can do is shortening our lead time while keep the same quality level. So there will not be any problem even if the sea freight delay for a couple days. Our annual output of various types of excavator boom arms can reach 600 sets.

4. How long is the boom arm can mini excavator be be configured with? Whether it is necessary to increase the counterweight?

A2. Generally speaking, 30-40 excavator longest arm suggests to be 8 meters, can configure 0.1 cbm bucket, no need extra counterweight. 55 excavator longest arm suggests to be 12 meters, can configure 0.1-0.15 cbm bucket, need 0.5 ton extra counterweight. 60-80 excavator longest arm suggests to be 12 meters, can configure 0.15-0.25 cbm bucket, need 0.5-0.7 ton extra counterweight.

It is not recommended to extend boom arm to longest length as min excavator is easy to sloshing.

5. How long will it takes to install a excavator long reach boom?

With reference to the efficiency of Chinese workers, and tools are fully prepared, it only takes one day to complete the disassembly and assembly.

Kindly remind, prepare several containers to fill the oil before disassemble.

HOT CUSTOMIZED PRODUCTS

Goods that people like to customize



Long Reach Excavator Boom

- · Long Reach Boom /
- Three Sections Demolition Arm /
- Demolition Extension Arm /

Customize now



Demolition Boom

- Long Demolition Boom /
- Super Long Demolish Distance /
- Safe Demolition /

Customize now



Telescopic Boom

- Three-stage Extension /
- Super Long Control Distance /
- Flexible Expansion /

Customize now



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd



+86 13822325403 aria@excavatorlongarm.com



excavatorlongarm.com

9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China