




Excavator Attachment High Volume Ditch Cleaning Bucket Mud Bucket Width 2000/2200mm for 25-50T Excavator

Our Product Introduction

for more products please visit us on excavatorlongarm.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Zhonghe
- Certification: CE
- Model Number: QJD001
- Minimum Order Quantity: 1 piece
- Price: \$2500/pieces
- Packaging Details: Bubble bag packaging
- Delivery Time: 25-30 work day
- Payment Terms: T/T
- Supply Ability: 5 Piece/Pieces per Month



Product Specification

- Part Name: Excavator Ditch Cleaning Bucket
- Material: Q355B, NM400, HARDOX500 Optional
- Width: Customization
- Capacity: 1.24-2.4cbm
- Suitable Excavator: 25-50Ton
- Warranty: 3 Months
- Condition: 100%new
- Quality: High-Quality
- MOQ: 1 PCS
- Packing: Standard Packing
- After-sales Service Provided: Online Video Support



More Images



Our Product Introduction

Product Description

»» Ditch cleaning bucket /Mud bucket ««



ZHONGHE MACHINERY

"Merit Quality, Sincerity Management, and Customer Satisfaction".



Zhonghe buckets are made of high-strength steel (HARDOX500/NM400/NM500/Q355, etc.) and assembled with high-quality parts. We choose different materials for different working conditions. Our goal is to provide competitive prices, excellent quality and excellent service to end customers.

Applications:

Surface trimming of slopes, dredging of riverbeds and ditches, etc. where larger bucket capacity is required.



**Ditch
Cleaning
Bucket**


Introduction of Excavator Clean Bucket / Mud Bucket / Grade Ditch Bucket

1. Overview:

Excavator mud bucket, also known as cleaning bucket, ditching bucket or trenching bucket, have no bucket teeth and large width. The mud bucket is very suitable for plane trimming of slopes with large capacity and desilting of rivers and ditches. Key steps in the welding process and the welding quality will directly affect the structural strength and bucket service life.

2. Applicable environment:

It is applicable to the trimming of slopes and other planes, as well as the large capacity dredging and cleaning of rivers and ditches. Based on the cleaning bucket, the tilting bucket changes the tilt angle through oil cylinder, greatly improving the work efficiency.



Excavator Ditch Bucket (Mud Bucket) Key Features:


1. Narrow and Long Design: Ideal for digging trenches and ditches in tight spaces.
2. High-Side Walls: Prevent material spillage and reduce clogging.
3. Reinforced Cutting Edge: Durable for cutting through tough mud and wet soils.
4. Specialized Teeth: Improves digging efficiency in soft or sticky materials.
5. Heavy-Duty Construction: Made with high-strength steel for durability in harsh conditions.
6. Large Capacity: Can carry a good amount of material despite the narrow design.
7. Versatile Applications: Used for drainage, trenching, and utility installation tasks.

Advantages of an Excavator Ditch Bucket (Mud Bucket):

1. Efficient Excavation in Tight Spaces: The narrow design allows for precise digging in confined areas like ditches, trenches, and utility lines.
2. Enhanced Durability: Built with reinforced materials and cutting edges to withstand tough, muddy, and abrasive conditions.
3. Reduced Material Spillage: High side walls help contain soil and mud, preventing loss of material during excavation.
4. Improved Digging Performance: Specialized teeth and blade design make it easier to cut through wet, sticky, or compacted soil.

5. Versatile Applications: Perfect for drainage, irrigation, grading, and utility installation, especially in waterlogged or muddy environments.

0.66M3 mud bucket---1300mm bucket width



型号 Model	项目 Item	销轴直径 (mm) Pin Diameter(mm)	挖斗宽 (mm) Bucket Width (mm)	容量 (升) Capacity (litres)	重量 Weight	材质 Material
1-2T	ZH-MINI	<35	900	0.1	94	
3-4T	ZH-24	40	1200	0.16	184	
5-7T	ZH-25	45	1200	0.2	220	
8-11T	ZH-26	50-55	1500	0.33	297	
12-18T	ZH-27A	60/65/70	1500 1800	0.6 0.75	478 522	Q355B+NM400
	ZH-27B	60/65/70	1500 1800	0.72 0.8	676 750	
19-24T	ZH-28A	80	1800 2000	0.91 1.09	842 910	
	ZH-28B	80	1800 2000	1.17 1.35	1150 1214	
25-30T	ZH-29	90	2000	1.46	1276	
30-38T	ZH-30	90/100/110	2000 2200	1.64 1.9	1600 1760	
40-50T	ZH-31	100/120	2200	2.4	2545	

Some pictures of excavator mud bucket



Working Conditions for Ditch Buckets (Mud Buckets):

- * Wet and Muddy Conditions: Excellent for digging in wet, sticky, or muddy environments, where conventional buckets might struggle.
- * Precision Excavation: Ideal for trenching, grading, or clearing narrow spaces, such as drainage ditches, utility installation sites, or irrigation channels.
- * Shallow Excavations: Best suited for shallow excavation tasks in tight spaces or locations with limited access.


COMPANY ADVANTAGES



Steel plates certifications	
宝钢 宝山钢铁股份有限公司	产品品质证明书 INSPECTION CERTIFICATE
宝山钢铁股份有限公司 Shanghai Baosteel Group Co., Ltd.	宝山钢铁股份有限公司 Shanghai Baosteel Group Co., Ltd.

PRODUCT ADVANTAGES

采集 编辑 图搜



Strong and sturdy

Robust base plate. Professional welding skill towards different bearing position. Steel plate chamfering bevels before welding.



As your request

The trenching / ditch bucket's open angle and base length can be customized.


Less maintenance

Using high quality materials, Q355B, NM400, hardox500 optional, strong bushing.



1. Separated plates design, load & unload easily.
2. Horizontal widening and depth reducing improve its work efficiency

CUSTOMER FEEDBACK



Cooperative Brand

KOMATSU **CAT** **HITACHI** **VOLVO** **SUMITOMO**

KOBELCO **DOOSAN** **CASE** **KATO** **HYUNDAI**

JCB **LIEBHERR** **ATLAS** **TEREX** **Kubota** **YANMAR** **TAKEUCHI** **IHISCE**

SANY **山东临工** **STRONG** **JCM** **SHANTUI** **LOVOL** **厦工** **XGMA** **LiuGong**

LISHIDE **ZOOLION** **XCMG** **LONKING** **龙工** **SUNWARD** **山河智能**

»» PRODUCT CATEGORY ««



Long Reach Boom



Two-Section Telescopic Arm



Three-Section Telescopic Arm



Pile Driving Arm



Sliding Arm



Tunnel Arm



Demolition Boom



Rock Arm

»» PRODUCT CATEGORY ««



Standard Bucket



Rock Bucket



Clamshell Bucket



Rock Ripper



Sliding Arm



Skeleton Bucket



Ditch Cleaning Bucket



Orange Peel Grapple



Root Rake

PACKING & DELIVERY



Bubble bag packaging for most products, Wooden case for little products, like buckets Iron frame support for boom arms.
The accessories and package of excavator long boom arm are subjected to our final confirmation.

FAQ



1. How do I start to order?

Firstly, talk to our sales about your machine model, working conditions, special needs and deadline. Then we will give you proposals FYR. You will receive a quotation within 24 Hours after confirming the proposal.

2. Why not have boom and stick cylinders in the plan?

A1: First, the whole long arm is lengthening, but the boom just lengthening from its middle sleeve to its end, so the original boom and stick cylinder can be used. Second, using the original parts can save your cost.

3. Are you always delivered on time?

We can't promise about the freight but what we can do is shortening our lead time while keep the same quality level. So there will not be any problem even if the sea freight delay for a couple days. Our annual output of various types of excavator boom arms can reach 600 sets.

4. How long is the boom arm can mini excavator be be configured with? Whether it is necessary to increase the counterweight?

A2. Generally speaking, 30-40 excavator longest arm suggests to be 8 meters, can configure 0.1 cbm bucket, no need extra counterweight. 55 excavator longest arm suggests to be 12 meters, can configure 0.1-0.15 cbm bucket, need 0.5 ton extra counterweight. 60-80 excavator longest arm suggests to be 12 meters, can configure 0.15-0.25 cbm bucket, need 0.5-0.7 ton extra counterweight.

It is not recommended to extend boom arm to longest length as min excavator is easy to sloshing.

5. How long will it takes to install a excavator long reach boom?

With reference to the efficiency of Chinese workers, and tools are fully prepared, it only takes one day to complete the disassembly and assembly.

Kindly remind, prepare several containers to fill the oil before disassemble.

Recommend Products

HOT CUSTOMIZED PRODUCTS

Goods that people like to customize



Long Reach Excavator Boom

- Long Reach Boom /
- Three Sections Demolition Arm /
- Demolition Extension Arm /

[Customize now](#)



Demolition Boom

- Long Demolition Boom /
- Super Long Demolish Distance /
- Safe Demolition /

[Customize now](#)



Telescopic Boom

- Three-stage Extension /
- Super Long Control Distance /
- Flexible Expansion /

[Customize now](#)



众合机械



Bucket

- Replaceable Fork Tines /
- Heavy Durable Bucket /



众合机械



Wood Grabber

- Mechanical Hydraulic Shear /
- Excavator Rotating Grapple /



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd

+86 13822325403

aria@excavatorlongarm.com

excavatorlongarm.com

9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China