



Excavator Telescopic Arm with Clamshell Bucket 2cbm

Our Product Introduction

for more products please visit us on excavatorlongarm.com

Basic Information

- Place of Origin: Guangdong Province, China
- Brand Name: Kaiping Zhonghe Machinery Manufacturing Co. Ltd
- Certification: CE, Patents, ISO9001
- Model Number: SSB005
- Minimum Order Quantity: 1 set / piece
- Price: USD 199.00-USD8999.00
- Packaging Details: Bubble / Wooden Cases
- Delivery Time: 3-25/works
- Payment Terms: T/T, L/C
- Supply Ability: 5 Sets Per Week



Product Specification

- Color: White Yellow Blue Red Etc
- Digging Depth: 25m - 32m
- Material: BS900E, Lighter And Stronger
- Clamshell Bucket: 0.8cbm 1cbm 1.5cbm 2cbm 2.5cbm
- Technical Support: YES
- Wire Rope: High Quality Wire Rope Multi-strand



More Images



Product Description

We are excited to unveil our new **Telescopic Arm** designed for excavators, engineered to enhance versatility and efficiency on your job site. This innovative attachment extends the reach of your excavator, allowing you to tackle deeper trenches, high elevations, and difficult-to-access areas with ease.

Our Product



Cleaning and dredging



Telescopic arm test



Bridge construction projects



Deep pit work



For Deep foundation pit construction project



For unloading materials For Large-scale earthworks



Key features of Excavator Telescopic Arm include:


Extended Reach: The telescopic design provides added length, making it easier to handle materials from a distance.

Robust Construction: Built to withstand harsh conditions, ensuring durability and reliability.

Enhanced Control: Precision hydraulics offer superior maneuverability, allowing for accurate placement of materials.


Compatibility: Designed to fit a wide range of excavator models, ensuring seamless integration with your existing fleet.

Upgrade your excavator with our Telescopic Arm and experience the difference in performance and productivity. For more information or to schedule a demonstration, please contact us today!



ZOM-伸缩臂	
A. 最大垂直挖掘深度	20000mm
B. 最大垂直深度挖掘半径	7095mm
C. 最大垂直挖掘工作半径	8801mm
D. 最大垂直挖掘深度	17340mm
E. 最大垂直挖掘工作半径	13586mm
F. 最大卸土高度	8044mm
G. 最小回转半径	6150mm
H. 最小回转半径是整机高度	11087mm

ZOM-telescopic arm	
A. Maximum vertical digging depth	20000mm
B. Maximum vertical excavation radius	7095mm
C. Maximum vertical excavation working radius	8801mm
D. Maximum vertical digging depth	17340mm
E. Maximum vertical excavation radius	13586mm
F. Maximum soil unloading height	8044mm
G. Minimum turning radius	6150mm
H. Overall machine height at minimum turning radius	11087mm




Production of Excavator Telescopic Arm with Clamshell Bucket / Grapple:

Double-sided boring lathe




After the excavator boom and arm are assembled, the pins on the boom are drilled to ensure that the pins on the boom are parallel to each other and the cross section of the pin hole is perpendicular to the pin. The double-sided boring machine of the boom makes the hole position more accurate and the quality higher.



Make sure the cross section of the pin hole is perpendicular to the shaft.



Make sure the axis is parallel to the axis



Make sure the cross section of the pin hole is perpendicular to the shaft



Make sure the axis is parallel to the axis



Four pulley design

There are two sliding wheels on the top and two on the bottom, which separate the high-pressure hose and the wire rope to reduce mutual wear. Less wear can extend the service life.



Adopt 30mm main rope

We use thicker wire ropes, which can withstand greater tension, are not easy to break, and withstand greater pressure. The wire ropes are highly wear-resistant and have a long service life.



26mm auxiliary wire rope

Here is the auxiliary wire rope, which is used to make the telescopic arm retractable when it is extended horizontally.



Ningbo connector

It is made of metal and has high compression resistance and expansion capacity. It is easy to load and unload, and can be loaded and unloaded freely.



High Quality---Nylon Sliders

Sliding block, it is nylon material, it can reduce grinding. Our sliding wheel is POM Material, with high mechanical strength and rigidity.



lubrication concentrate system

Many holes, many holes on the top and at the side, it is easy and convenient for the operator to refill the lubrication oil, they all concentrate on the front of arm.

Zhonghe Machinery is a big Manufacturer of Excavator Telescopic Arm

Any interest,

Whatsapp: wa.me/+8613822325403

Email: aria@excavatorlongarm.com

Website link: www.excavatorlongarm.com

#excavator #excavatorlongarm #excavatorlongboom #excavatorpilearm #excavatorpileboom #excavation #excavatorslidingarm #excavatorslidingboom #arm #boom #telescopicarm #longarm #longboom #bigmachine #heavymachine #bucket #longreacharm #longreachboom #shortenarm #shortenboom #telescopicarm #telescopicboom #arm #boom #telescopic #ripper #rockarm #rockboom #construction #longarmforexcavator #longreacharmforexcavator #longboomforexcavator #excavatorlongreacharm #excavatorlongreachboom



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd

+86 13822325403

aria@excavatorlongarm.com

excavatorlongarm.com

9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China