
OEM Custom Three-Section Excavator Telescopic Boom Fits 30-50 Ton Excavator Deep Foundation Excavation Attachment Excavator Telescopic Arm Excavator Long Arm Long Arm Excavator

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Zhonghe
- Certification: CE
- Model Number: SSB001
- Minimum Order Quantity: 1 piece
- Price: $25396/pieces
- Packaging Details: Bubble bag packaging
- Delivery Time: 25-30 work day
- Payment Terms: T/T
- Supply Ability: 5 Piece/Pieces per Month



Product Specification

- Brand Name: ZHONGHE
- Part Name: Excavator Telescopic Boom Arm
- Material: Q690D/HG785
- Applicable Industries: Energy & Mining & Demolition
- Suitable Excavator: 30-50Ton
- Length (m): 20-32m
- Bucket Capacity: 1.5cbm
- Color: As Customer Requires
- Warranty: 6 Months
- Condition: 100%new
- Quality: High-Quality
- MOQ: 1 PCS
- Packing: Standard Packing
- After-sales Service Provided: Online Video Support



for more products please visit us on excavatorlongarm.com

More Images












Our Product Introduction

Product Description

for more products please visit us on excavatorlongarm.com





Excavator(ton)	Max Depth(mm)	Effective Length(mm)	Bucket Capacity(cbm)
6-10	10000	7600	0.2-0.3
11-15	14000	10500	0.4-0.6
20-30	16000	12500	0.8-1.5
30-35	20000	15500	1.3-1.66
30-35	25000	20500	1-1.4
40-45	25000	20500	1.8-2.5
40-45	30000	25100	1.4-2

PRODUCT DESCRIPTION

Introduction

The three-section telescopic boom features a nested three-sleeve structure. Driven by hydraulic cylinders, it can extend and retract, with working length adjustable as required.
It is made of high-strength wear-resistant steel plate. Full penetration welding is applied on key welds, followed by stress relief treatment to minimize welding deformation. The boom boasts high structural strength and excellent durability.
The boom is compact when fully retracted. Easy to assemble and disassemble for site transfer and long-distance transportation. Custom manufacturing is available based on your excavator model.

Standard Configuration


One telescopic boom assembly, 3 pins, 2 attachment hoses, 2 hydraulic lines for a breaker, and one dual-direction foot pedal switch.

Warranty


Boom structure and hydraulic cylinders: 6 months; Clamshell bucket: 3 months.










The Material we choose---Ensure Longer Life-span, High-effective, More Resistant











Different attachments can be used for different working environments, and robotic arms of different sizes can also be customized to meet different needs.
Please contact me for specific parameters!

Accessories for the three-section telescopic arm



Orange peel grapple

Structural composition: hydraulic cylinder, gripper, link body.

Working Principle: The excavator provides power to drive the cylinder to open and close, and the balance valve is used to synchronize the cylinder.




Clamshell bucket

Structural composition: The main connecting frame, bucket flap, and oil cylinder are composed of three parts.
Working principle: The excavator provides power, pressure, and flow to drive the oil cylinder to move, and the shell bucket is opened and closed through the extension and contraction of the oil cylinder.
























Our service

We provide one-on-one dedicated customer service, 24-hour online response, professional remote installation guidance. We warmly welcome you to visit our factory and we will arrange full reception for you.

Our products

Our products can pass all relevant certifications to meet your market requirements. We support fully customized production. Made of high-strength steel for outstanding performance, and we offer an extended warranty period.

Our factory

We are the direct source manufacturer with 14 years of experience specializing in excavator attachments. We implement strict quality control throughout every production process to guarantee stable quality and achieve fast delivery.



PRODUCT CATEGORY



Long Reach Boom



Sliding Arm



Two-section Telescopic Arm



Three-section Telescopic Arm



Pile Driving Arm



Tunnel Arm

PRODUCT CATEGORY



Rock Bucket



Standard Bucket



Tilt Bucket



Ditch Cleanning Bucket



Skeleton Bucket



Rock Ripper

APPLICABLE BRANDS

KOMATSU CAT HITACHI VOLVO SUMITOMO

KOBELCO DOOSAN CASE KATO HYUNDAI


JCB LIEBHERR ATLAS TEREX Kubota YANMAR TAKEUCHI IHISCE

SANY SDLG 山东临工 山重建机 STRONG JCM SHANTUI LOVOL 福田雷沃重工 XGMA 厦工 LiuGong 柳工

LISHIDE 力士德 ZOOMLION XCMG LONKING 龙工 SUNWARD 山河智能

CERTIFICATIONS





RODUCTION ADVANATGES

Our factory has a complete range of production equipment, which is conductive to the production of our products, good quality and ensures product accuracy.



1. Panel is cut by CNC plasma machine with less deformation.
2. Tolerance within 5-10um, ensure the accuracy of hole.
3. Environmentally friendly verified sparying room.
4. GMAW-Gas Metal Acr-Welding.
5. Plasma cutting machines, boring machines, beveling machines,bending machines,etc. ensure accuracy.



Large double-sided floor boring machine



CNC plasma cutting machine



Automatic edge milling machine




Environmentally friendly spary booth



ZHONGHE triple quality control system

1.The first system is the technical design drawing review mechanism
2.The second system is the semi-finished product review mechanism,each process has a detection testing for the previous process
3.The third system is the finished product testing.Before painting, the overall inspection is carried out to check whether the design size matches the welding size, and whether theinstallation size meets the design requirement.
To sum up, every single ZHONGHE product has been passed the above three-stage inspection system to ensure that is qualified before shipping.



Double-sided boring lathe




After the excavator boom and arm are assembled, the pins on the boom are drilled to ensure that the pins on the boom are parallel to each other and the cross section of the pin hole is perpendicular to the pin. The double -sided boring machine of the boom makes the hole position more accurate and the quality higher.











Make sure the cross section of the pin hole is perpendicular to the shaft.



Make sure the axis is parallel to the axis



Make sure the cross section of the pin hole is perpendicular to the shaft



Make sure the axis is parallel to the axis

SHIPPING & PACKAGE

Package
Bubble bag packing for most products;
Wooden case for little products, like buckets;
Iron frame support fro boom arms.
The accessaries and package of excavator long boom arm are subjected to our final confirmation.





FAQ

1. Who are we?
We are based in Guangdong, China, start from 2018,sell to Southeast Asia(40.00%),Mid East(10.00%),North America(10.00%),South Asia(8.00%),Eastern Europe(8.00%),Oceania(8.00%),Eastern Asia(5.00%),Africa(5.00%),South America(4.00%),Northern Europe(2.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?
Always a pre-production sample before mass production;
Always final Inspection before shipment;

3.What can you buy from us?
Excavator Long Reach Boom,Excavator Telescopic Arm,Excavator Demolition Arm,Excavator Grapple,Excavator Bucket

4. Why should you buy from us not from other suppliers?
With more than 60 employees, it has its own unique research and development team in more than 10000 square meters of steel structure standardized plant. The annual production of ivarious of arms is up to 600 sets, and various of buckets are 6000 pieces.

5. What services can we provide?
Accepted Delivery Terms: FOB,CIF, EXW, CIP;
Accepted Payment Currency: USD, CNY;
Accepted Payment Type: T/T;



Jiangmen Kaiping Zhonghe Machinery Manufacturing Co., Ltd

+86 13822325403 aria@excavatorlongarm.com excavatorlongarm.com

9 Huancui West Road, Cuishanhu New Area, Kaiping City, Guangdong Province, China